PPCL PUDUCHERRY POWER CORPORATION LIMITED (A GOVERNMENT OF PUDUCHERRY UNDERTAKING) PROJECT OFFICE, T.R. PATTINAM 609 606, KARAIKAL.

 Phone:
 04368-233060
 Email:ppclmmc@gmail.com
 Telefax:
 04368-233355.

 Ref.No:
 AB-069/MMC/2024-25/
 1404
 GSTIN No.34AAACP6507E1ZS
 Dt. 8.11.2024

 ENQUIRY
 Dt. 8.11.2024
 Dt. 9.11.2024
 Dt. 9.11.2024

То

Sub: Inviting offer for the Procurement of Electrical Consumables- Reg.,

QUOTATION TO BE:

Submitted on or before – 27.11.2024 –5 pm	Opened on 28.11.2024 - 3.00 P M		
Kept valid for 3 months from the date of opening	Submitted in ONE part.		

Sealed quotations are invited for the supply of Electrical Consumables as per the Specifications and as per the terms and conditions mentioned therein. **Terms and conditions:**

- 1. The rate quoted should be firm and inclusive of all GST and other charges as admissible. The materials supplied should be original, quoted make only.
- **2.** Applicable other charges, if any should be clearly mentioned. If not mentioned, it will be presumed that the rate quoted is inclusive of all other charges.
- **3.** The Items should be ISI make except the particular make specified. The expiry date of the consumables should be minimum 12 months from the date of supply to PPCL.
- **4.** The materials should be directly supplied to the PPCL site, T. R. Pattinam, Karaikal 609 606, on door delivery basis.
- 5. Payment: 100% Payment will be made within 30 days from the date of receipt of your invoice after receipt of materials in good condition. The bill in triplicate along with Advance stamp fixed and signed receipt should be sent to the undersigned for effecting payment. Part payment will not be made for the supplied items.
- 6. The delivery period and mode of dispatch should be clearly specified.
- **7.** Any loss or damage during transit to site should be made good by the supplier free of charge provided the same is reported within 15 days of the arrival of material at site.
- 8. Validity: Your offer should be valid for 90 days from the date of tender opening.
- **9.** Sealed quotations should be superscripted as "QUOTATION/ENQUIRY **NO.AB-069** for the supply of Electrical Consumables". Quotations through e-mail/fax not accepted.
- **10.** If the tender opening date happens to be a holiday, the tender will be opened on the next working day.
- **11.** Our **GSTIN No.34AAACP6507E1ZS** is registered with Commercial Taxes Department, Puducherry. The GST number of the agency should be provided.
- 12. The undersigned reserves all rights to accept/reject any or all the quotations without assigning any reasons thereof.

EXECUTIVE ENGINEER (MECH)-PLANT

Page 1 of 5

(A GOVERNMENT OF PUDUCHERRY UNDERTAKING) PROJECT OFFICE, T.R. PATTINAM 609 606, KARAIKAL.

Email:ppclmmc@gmail.comTelefax: 04368-233355.Control Control Contro Phone: 04368-233060 Ref.No: AB-069/MMC/2024-25/ 1404 GSTIN No.34AA ENQUIRY PAGE NO. 2

S1. No.	Item Description/Specifica	Unit Rate (In Rs)	Qty Reqd	Total Amount (Rs.)	
1	Thinner 1000 ml Pack, Make-Apple/ ISI make		/ltr	05 Ltr's	
2	NC Thinner 1000 ml	1.5	/ltr	05 Ltr's	
3	Enamel Paint (Smoke Gray), Make: Dr.Beck/Asian/Dulux/Berger/Nerolac 01 Litre Pack		/Lifre	10 Litres	x
4	Enamel Paint (White), Make: Dr.Beck/Asian/Dulux/Berger/Nerolac 01 Litre Pack		/Litre	04 Litres	leastly and
5	Flex Kwik instant adhesive (20 grms), Make-Pidilite		enterna men	10 No's	Life on W
6	Anabond - 202 (10 ml)		hard and	10 No's	
7	Anabond-412, 5ml Pack	and being be	an anager and	10 No's	Side for
8	M Seal (100 grms)		11.4 Mis-01	20 No's	ALL CALLER
9	Araldite (36 grms)		Sec. 6	10 No's	
10	Wire Brush		bould and present the	20 No's	Alexinetia.
and the	Emmary Sheet - Rough, Medium & Smooth – Make: Ajax/Aeroplane	Rough	AN YOU TE , ANS	20 No's	1. 6pple
11		Medium		20 No's	
		Smooth		20 No's	1000
- 1	1", 2" & 3" Paint Brush, Make - Brushman	1"		10 No's	
12		2"		10 No's	ouniga.
		3"		10 No'	Contract of
13	PVC Cable gripping strip/tie, Colour - white/grey, length - 15cms & 30cms, Reputed - ISI make	15 Cm	/pack	10 packs	and and a
10		30 Cm		10 packs	Called a
1		M 4 X 50	al land a second	50 No's.	
	HEX Headed, Cadmium coated Full threaded Bolt & Nut with spring & plate washers, Size: M 4 X 50, M 5 X 50, M 6 X 50, M 6 X 70, M8 X 50, M8 X 70, M10 X 50, M 10 X 70 mm length, Grade 4.6, Make: TVS/ Unbreako	M 5 X 50	and the second	50 No's.	
		M 6 X 50	etting and failmand	50 No's.	well filler you
14		M 6 X 70	FRUD you brough	50 No's.	n balaysi d
-		M8 X 50		50 No's.	spelui qualit.
		M8 X 70		50 No's.	
		M8 X 50		50 No's.	a but state
-	HEY Handad CLassied Full three 1.1	M10 X 70	*	50 No's.	
	HEX Headed, GI coated Full threaded Bolt & Nut with spring & plate washers, Size: M6 X 50, M 8 X 50, M 10 X 75 mm length, Grade 8.8, Make: TVS / Unbreako	M6 X 50		50 No's	ortrace T
15		M 8 X 50	termina tita in some	50 No's	au stre
		M10 X 75	a share and	50 No's	46. 19
16	HEX Headed, SS Full threaded Bolt &	M6 X 50		50 No's	

PECE PUDUCHERRY POWER CORPORATION LIMITED (A GOVERNMENT OF PUDUCHERRY UNDERTAKING) PROJECT OFFICE T R PATTINAM 609 606 KARAIKAI

Phe	PROJECT OFFICE, T.R. one: 04368-233060 Email:ppc	PATTINAM 60 lmmc@gmail.com	
Ref	:No: AB-069/MMC/2024-25/ 1404	GSTIN No.34AAA	
1	Nut with spring & plate washers,	M6 X 60	50 No's
	Size: M6 X 50, M6 X 60, M 8 X 60, M 10 X 60, M 12 X 60, M 14 X 60 mm length, Grade 8.8, Make: TVS / Unbreako	M 8 X 60	50 No's
		M10X 60	50 No's
		M12 X60	50 No's
-		M14 X60	50 No's
17	Anchor bolt size(6mm)		10 No's
/		20 x 6	100 No's
18	Metal Screws of Size Nos.20 x6, 20x8, 25 x6, 25x8	20 x 8	100 No's.
10		25 x 6	100 No's.
		25 x 8	100 No's.
		20x6	100 No's
		20x8	100 No's
	Wester Construction of the	25x6	100 No's
19	Wooden Screws of Size Nos. 20x6, 20 x8, 25x6, 25x8, 40x6, 40x8, 60x10	25x8	100 No's
		40x6	100 No's
		40x8	100 No's
		60x10	100 No's
20	Cutting wheel Size: 3 Inches, Make: IS	I make	25 No's
	1 Sq.mm Copper lug – Pin, Ring &	Pin Type	50 No's
21	Fork Type, Make-	Ring Type	50 No's
	Dowell's/Multi/Jainson	Fork Type	50 No's
	2.5 Sq.mm Copper lug – Pin, Ring &	Pin Type	50 No's
22	Fork Type, Make-	Ring Type	50 No's
	Dowell's/Multi/Jainson	Fork Type	50 No's
	4 Sq.mm Copper lug –Pin, Ring & Fork Type, Make- Dowell's/Multi/Jainson	Pin Type	50 No's
23		Ring Type	50 No's
*		Fork Type	50 No's
	6 Sq.mm Copper lug –Pin, Ring & Fork Type, Make- Dowell's/Multi/Jainson	Pin Type	50 No's
24		Ring Type	50 No's
		Fork Type	50 No's
25	10 Sq.mm Copper lug – Round Ring Type, Make- Dowell's/Multi/Jainson		50 No's
26	16 Sq.mm Copper lug – Round Ring Type, Make- Dowell's/Multi/Jainson		50 No's
27	25 Sq.mm Copper lug – Round Ring Type, Make-Dowell's/Multi/Jainson		50 No's
28	35 Sq.mm Copper lug – Round Ring Type, Make- Dowell's/Multi/Jainson		50 No's
29	50 Sq.mm Copper lug – Round Ring Type, Make- Dowell's/Multi/Jainson		50 No's

PPC PUDUCHERRY POWER CORPORATION LIMITED (A GOVERNMENT OF PUDUCHERRY UNDERTAKING) PROJECT OFFICE, T.R. PATTINAM 609 606, KARAIKAL.

Dhe	PROJECT OFFICE, T.) one: 04368-233060 Email:p	pclmmc@gmail.c	
-	No: AB-069/MMC/2024-25/ 14 04		AAACP6507E1ZS Dt. 8 .11.2024
30	Side cutting plier with thick insulat Length: 8", Make: Taparia/Pye	ed CA sleeve,	05 No's
31	Wire stripping plier, Length: 130 mm, Make: Taparia/Pye		05 No's
32	Combination plier with thick insulated CA sleeve, Length: 8", Make: Taparia/Pye		05 No's
	'T' socket wrenches, Size 8,9, 10,	Size 8 mm	02 No's
		Size 9 mm	02 No's
		Size10 mm	02 No's
33	11, 12, 13 & 14 mm, Make:	Size 11 mm	02 No's
	Taparia/Everest/TVS	Size 12 mm	02 No's
		Size 13 mm	02 No's
		Size 14 mm	02 No's
	Elmax Connector 10, 16 Sq.mm,	10 Sq.mm	50 No's
34	Thread Type, Reputed - ISI make	16 Sq.mm	50 No's
35	Elmax Connector 25 Sq.mm, Thread Type, Reputed - ISI make		20 No's
36	230 v Pin type 60 Watts incandcent lamp (base: B-22)		25 No's
37	110 V DC, 60 watts incandcent lamp (Base:E-27 Thread/ Base : - B-22 Pin type)	Base:E-27 Thread type	25 No's
57		Base : B-22 Pin type	25 No's
38	1 Litre Spray bottle	in the second	05 No's
39	6 X300 mm Taparia Star & Minus Screw driver		4 No's
40	8 x 300 mm Taparia Star & Minus Screw driver		03 No's.
41	12 x 100 Taparia Heavy duty Minu	is Screw driver	03 No's.
42	Metal Chisel 1 " & 2 " (each 01 No.)		03 No's.
43	Centre Punch		01 No
44	Tap Wrench set thread metric plug Tap drill bits set with M3, M4, M5, M6, M8, M 10, M12 adjustable tap 1/8"- 1/2"(each 01 No) including M3, M4, M5, M6, M8, M 10, M12 tap drill bits		01 Set
45	5 Amps 1 Way switch flush type, Make - Kundan/GM		50 No's
46			50 No's
47	Mini MCB : 16 Amps, (Switch type), Single pole, 240v, 50HZ, 10KA,Make - Standard/Havells/Siemens/Legrand/L&T		10 No's

PPC PUDUCHERRY POWER CORPORATION LIMITED (A GOVERNMENT OF PUDUCHERRY UNDERTAKING) PROJECT OFFICE T R PATTINAM 609 606 KARAIKAI

PROJECT OFFICE, T.R. PATTINA	M 609 606, KARAIKAL.	
ne: 04368-233060 Email:ppclmmc@gmail	.com Telefax: 043	368-233355.
No: AB-069/MMC/2024-25/ A04 GSTIN No.3	4AAACP6507E1ZS	ot. 😵 .11.2024
Mini MCB : 10 Amps, (Switch type), Single pole, 240v, 50HZ, 10KA,Make - Standard/Havells/Siemens/Legrand/L&T	10 No's	
Mini MCB : 6 Amps, (Switch type), Single pole, 240v, 50HZ, 10KA,Make - Standard/Havells/Siemens/Legrand/L&T	5 No's	
MCB:6 Amps, Single pole, 240V, 50HZ, 10kA, Make: Standard/Havells/Siemens/Legrand/L&T	05 No's	
MCB:10 Amps, Single pole, 240V, 50HZ, 10kA Make:Standard/Havells/Siemens/Legrand/L&T	05 No's	
MCB:16 Amps, Single pole, 240V, 50HZ, 10kA Make -Standard/Havells/Siemens/Legrand/L&T	05 No's	
MCB:6 Amps,Double pole, 240V, 50HZ, 10kA , Make -standard/Havells/Siemens/Legrand/L&T	05 No's	
HSS metal Drill bit size (2mm to 16 mm)	1 set	-
Line Tester, Make - Taparia 818	40 No's	
	Sub total	
Add	l: P&F Charges @ %	
Add: F	reight Charges @ %	
	Add: GST @ %	
	Total amount Rs.	
	ne: 04368-233060 Email:ppclmmc@gmail No: AB-069/MMC/2024-25/ Ao Mini MCB : 10 Amps, (Switch type), Single pole, 240v, 50HZ, 10KA,Make - Standard/Havells/Siemens/Legrand/L&T Mini MCB : 6 Amps, (Switch type), Single pole, 240v, 50HZ, 10KA,Make - Standard/Havells/Siemens/Legrand/L&T MCB:6 Amps, Single pole, 240V, 50HZ, 10kA, Make: Standard/Havells/Siemens/Legrand/L&T MCB:10 Amps, Single pole, 240V, 50HZ, 10kA Make:Standard/Havells/Siemens/Legrand/L&T MCB:16 Amps, Single pole, 240V, 50HZ, 10kA Make -Standard/Havells/Siemens/Legrand/L&T MCB:6 Amps, Double pole, 240V, 50HZ, 10kA, Make -standard/Havells/Siemens/Legrand/L&T MCB:6 Amps,Double pole, 240V, 50HZ, 10kA, MCB:6 Amps,Dou	No: AB-069/MMC/2024-25/▲𝔅 GSTIN No.34AAACP6507E1ZS II Mini MCB : 10 Amps, (Switch type), Single pole, 240v, 50HZ, 10KA,Make - Standard/Havells/Siemens/Legrand/L&T 10 No's Mini MCB : 6 Amps, (Switch type), Single pole, 240v, 50HZ, 10KA,Make - Standard/Havells/Siemens/Legrand/L&T 5 No's MCB: 6 Amps, Single pole, 240V, 50HZ, 10kA , Make: Standard/Havells/Siemens/Legrand/L&T 05 No's MCB: 10 Amps, Single pole, 240V, 50HZ, 10kA , Make: Standard/Havells/Siemens/Legrand/L&T 05 No's MCB: 10 Amps, Single pole, 240V, 50HZ, 10kA , Make:Standard/Havells/Siemens/Legrand/L&T 05 No's MCB: 16 Amps, Single pole, 240V, 50HZ, 10kA , Make -standard/Havells/Siemens/Legrand/L&T 05 No's MCB: 6 Amps, Double pole, 240V, 50HZ, 10kA , Make -standard/Havells/Siemens/Legrand/L&T 05 No's MCB: 6 Amps, Double pole, 240V, 50HZ, 10kA , Make -standard/Havells/Siemens/Legrand/L&T 05 No's MCB: 6 Amps,Double pole, 240V, 50HZ, 10kA , Make -standard/Havells/Siemens/Legrand/L&T 05 No's HSS metal Drill bit size (2mm to 16 mm) 1 set Line Tester, Make - Taparia 818 40 No's Add: P&F Charges @ % Add: Set @ % Add: GST @ %

Commercial terms and Conditions:

S1. No	Details	Terms in Tender	Terms Accepted by the Party
1	Price Quoted	FOR Site	
2	Payment Terms	As per the terms and condition	
3	Validity	90 Days from date of opening of Tender	
4	Delivery	Vendor to specify	
5	Acceptance of All the Terms and Condition of the Enquiry	To be Accepted	

Signature with Seal of the Party